Explore API Documentation

SelfService_Completion_UserAssignment

Version 1.0

Last Modified:22-Oct-2024

Last Modified By: Litzy Mora

© 2024 InEight, Inc. All rights reserved.

Change Log

This changelog only contains significant or notable changes to the revision. Any editorial type changes or minor changes are not included.

Revision	Change Date	Description	Modified By
1.0	22-Oct-2024	Initial release	Litzy Mora

Contents

Change Log....2
Overview....4
Relationships and Dependencies....4
Supported Filters....5
Fields....5
Field Descriptions....5
Sample....6
Data Validation....7

Overview

The ***SelfService_Completions_UserAssignment*** API is intended to provide information about users and their assigned roles by module and category, at a designated OBS level within Completions.

Relationships and Dependencies

From: Table	To: Table	Relationship	Cardinality	Comment
Completion_UserAssignment (UA)	Completion_CategoryData (CD)	UA.Category = CD.Category	M:1	
Completion_UserAssignment (UA)	Completion_ModuleData(MD)	UA.Module = MD.Module	M:1	
Completion_UserAssignment (UA)	Completion_InEightOBSData (OBS)	UA.ObsDisplayId=OBS.ObsDisplayId	M:1	



API Detail

Direction		From Project Suite
Pagination		50,000 Rows
Frequency		All Reporting APIs are used by calling a GET method at an interval determined by the customer. InEight suggests using these APIs on an infrequent basis (once per day) to avoid potential performance impact to live systems when the returned data set could be large.
Trigger Method(s)		All default OData filters are supported
Average Payload Size		Depends on date range selected
APIM Name		SelfService_Completion_UserAssignment
Replicate View		[SelfService].[vwCompletionsUserAssignment]
Data Refresh/Delta/Incremental Loads		The data in this API will refresh in twenty minutes or less from the time it is entered.
Project Suite	**Starting Version**	23.2

	Ending Version	N/A

Supported Filters

All default OData filters are supported by this API.

Fields

Name	Data Type	Char Max Length	Numeric Precision	Scale	Is Nullable	PK
AssignmentId	bigint	8	19	0	N	X
RoleName	nvarchar	500	0	0	Y	
ObsDisplayId	nvarchar	300	0	0	Y	
ObsName	nvarchar	1000	0	0	Y	
Category	nvarchar	200	0	0	Y	
Module	nvarchar	200	0	0	Y	
UserId	bigint	8	19	0	Y	
Email	nvarchar	200	0	0	Y	
FullName	nvarchar	201	0	0	Y	
FutureChildren	varchar	3	0	0	N	
ModifiedDate	datetimeoffset	10	34	7	Y	
IsActive	bit	1	1	0	N	
ModifiedDateChar	varchar	35	0	0	Y	

Field Descriptions

Name	Description	Example
AssignmentId	Unique identifier of Inspect Activity Relationship. Unique across this API.	16896301
RoleName	Role Name as assigned in the Completions application	Edit Events Access
ObsDisplayId	OBS unique identifier displayed in the Completions application	S10000
ObsName	Name associated to the OBS object	Warehouse Project
Category	Name of Category associated to the user assignment from the Completions Application	Issues
Module	Name of Module associated to the user assignment from the Completions Application	Quality
UserId	Unique identifier assigned to each user	314
Email	Email stored in the system for the user	John.Doe@InEight.com
FullName	Indicates Form or Task type	John doe
FutureChildren	Question ID of the referenced/child task/form	“Yes” or “No”
ModifiedDate	Date of record’s modification	2024-09-13 09:01:53.7601128 +00:00
IsActive	Indicates if a record is active or inactive	0 = False or 1 = True
ModifiedDateChar	Character date of record’s modification	2024-09-13 09:01:53.760113 +00:00

Sample


```
{
        "AssignmentId": 384394,
        "RoleName": "Module Administrator",
        "ObsDisplayId": "103565",
        "ObsName": "Central 70 (103565)",
        "Category": "Assessment_ABC",
        "Module": "Quality",
        "UserId": 38180,
        "Email": "XXXX.XXXXXXX@INEIGHT.COM",
        "FullName": "XXXXXXXXXXXXXXXX",
        "FutureChildren": "No",
        "ModifiedDate": "2024-10-15T09:12:04.5648185Z",
        "IsActive": false,
        "ModifiedDateChar": "2024-10-15 09:12:04.564819 +00:00"
    }
```

Data Validation

This data can be validated in the Completions Settings at the Project or Organizational level

Figure 1: Settings> Completions> User Assignments