



Explore API Documentation

SelfService_Compliance_ActivityStatusText

Version 1.1

Last Modified: 11/14/2023

Last Modified By: Estefany Puc Nieto



Change Log

This changelog only contains significant or notable changes to the revision. Any editorial type changes or minor changes are not included.

Revision	Change Date	Description	Modified By
1.0	06/22/2021	Initial draft	Jackson Bukata
1.1	8/10/2022	Updated data refresh time	Estefany Puc Nieto
1.2	12/20/2022	Updated pagination	Litzy Mora

Contents


Change Log.....	2
Overview.....	3
Relationships and Dependencies.....	3
API Detail.....	3
Supported Filters.....	3
Fields.....	4
Field Descriptions.....	4
Sample.....	5

Overview

The Activity Status Text API is designed to expose translated status data from Compliance forms. **When using this API, please filter by Language ID or Language code to eliminate duplicates.**

Relationships and Dependencies

From: Table	To: Table	Relationship	Cardinality ¹	Comment
SelfService_Compliance_ActivityStatusText (AST)	SelfService_Compliance_GeneralHeaderData (GHD)	AST. InspectActivityStatusId = GHD. InspectActivityStatusId	M:1	



API Detail

Direction	From Project Suite	
Pagination	5,000 Rows	
Frequency	All Reporting APIs are used by calling a GET method at an interval determined by the customer. InEight suggests using these APIs on an infrequent basis (once per day) to avoid potential performance impact to live systems when the returned data set could be large.	
Trigger Method(s)	All default OData filters are supported	
Average Payload Size	Depends on date range selected	
APIM Name	SelfService_Compliance_ActivityStatusText	
Data Refresh/Delta/Incremental Loads	The data in this API will refresh in five minutes or less from the time it is entered.	
Project Suite	Starting Version	V1.0
	Ending Version	V1.0

Supported Filters

All default OData filters are supported by this API.

¹ 1:M = One to Many, 1:1 = One to One, M:1 = Many to one

Fields

Name	Type	CharMaxLength	NumericPrecision	DatePrecision	Product	PK
InspectActivityStatusTextId	Bigint	Null	19	Null	Compliance	X
LanguageId	Bigint	Null	19	Null	Compliance	
LanguageCode	Nvarchar	25	Null	Null	Compliance	
InspectActivityStatusId	Bigint	Null	19	Null	Compliance	
ActivityStatusName	Nvarchar	200	Null	Null	Compliance	
ActivityStatusDescription	Nvarchar	4000	Null	7	Compliance	
CreatedById	Bigint	Null	19	7	Compliance	
CreatedDateChar	Varchar	35	Null	Null	Compliance	
ModifiedById	Bigint	Null	19	Null	Compliance	
ModifiedDateChar	Varchar	35	Null	Null	Compliance	
IsActive	Bit	Null	Null	Null	Compliance	

Field Descriptions

Name	Description	Example
InspectActivityStatusTextId	Unique identifier assigned to each record in this API	1
LanguageId	Unique value indicating the language Id associated to the record	1
LanguageCode	Code indicating the language Id	en
InspectActivityStatusId	Unique identifier for each status	5
ActivityStatusName	Text name of the status	Overdue
ActivityStatusDescription	Text description of the status	Form is past the due date and requires immediate action.
CreatedById	Unique identifier associated to the creator of the record	14
CreatedDateChar	Indicates the date created	2021-03-17 21:56:29.000000+00:00
ModifiedById	Indicates the Id of individual that made modification	14
ModifiedDateChar	Date of the modification	2021-03-17 21:56:29.000000+00:00

IsActive	Indicates if a record is active or inactive	1
-----------------	---	---

Sample

```
{"InspectActivityStatusTextId":1,"LanguageId":1,"LanguageCode":"en","InspectActivityStatusId":1,"ActivityStatusName":"Complete","ActivityStatusDescription":"Form is done closed, completed and locked. Only admin with appropriate permissions can edit. ","CreatedBy":1,"CreateDateChar":"2019-08-17 14:43:32.986818 +00:00","ModifiedBy":1,"ModifiedDateChar":"2019-08-17 14:43:32.986818 +00:00","IsActive":true}
```