



Explore API Documentation

SelfService_Compliance_InEightOBSDData

Version 1.2

Last Modified: 11/14/2023

Last Modified By: Estefany Puc Nieto



Change Log

This changelog only contains significant or notable changes to the revision. Any editorial type changes or minor changes are not included.

Revision	Change Date	Description	Modified By
1.0	12/17/2019	Initial draft	Natalie Takacs
1.1	9/202021	Updated API call information in "Sample" section	Natalie Takacs
1.2	8/10/2022	Updated data fresh time	Estefany Puc Nieto

Contents


Change Log.....	2
Overview.....	3
Relationships and Dependencies.....	3
API Detail.....	3
Supported Filters.....	3
Fields.....	3
Field Descriptions.....	4
Sample.....	4

Overview

The Compliance OBS Data API is intended to expose data about the organizational breakdown structure in relation to compliance. This information may be useful in associating forms, questions, and/or answers to specific projects or organizations.

Relationships and Dependencies

From: Table	To: Table	Relationship	Cardinality ¹	Comment
SelfService_Compliance_InEightOBSDData (OD)	SelfService_Compliance_GeneralHeaderData (GHD)	OD.InspectObsId = GHD.InspectObsId	1:M	



API Detail

Direction	From Project Suite	
Pagination	50,000 Rows	
Frequency	All Reporting APIs are used by calling a GET method at an interval determined by the customer. InEight suggests using these APIs on an infrequent basis (once per day) to avoid potential performance impact to live systems when the returned data set could be large.	
Trigger Method(s)	All default OData filters are supported	
Average Payload Size	Depends on date range selected	
APIM Name	SelfService_Compliance_InEightOBSDData	
Data Refresh/Delta/Incremental Loads	The data in this API will refresh in five minutes or less from the time it is entered.	
Project Suite	Starting Version	V1.0
	Ending Version	V1.1

Supported Filters

All default OData filters are supported by this API.

Fields

Name	Type	CharMaxLengt h	NumericPrecisio n	DatePrecisio n	Product	PK
InspectObsId	Bigint	Null	19	Null	Compliance	X
ObsName	Nvarchar	1000	Null	Null	Core	

¹ 1:M = One to Many, 1:1 = One to One, M:1 = Many to one

ObsDescription	Nvarchar	4000	Null	Null	Compliance	
ObsDisplayId	Nvarchar	300	Null	Null	Compliance	
ParentId	Bigint	Null	19	Null	Compliance	
OrganizationId	Bigint	Null	19	Null	Compliance	
ProjectId	Bigint	Null	19	Null	Compliance	
CreatedDate	Datetimeoffset	Null	Null	7	Compliance	
ModifiedDate	Datetimeoffset	Null	Null	7	Compliance	
IsActive	Bit	Null	Null	Null	Compliance	

Field Descriptions

Name	Description	Example
InspectObsId	Unique identifier that corresponds to each record in the API	8
ObsName	Name of the organizational breakdown structure (OBS) entity	Acme Project A
ObsDescription	Description of the OBS entity	Acme Bridge Reconstruction
ObsDisplayId	Unique identifier associated to each	S1000
ParentId	The unique identifier of the parent entity in the OBS of the selected item	8
OrganizationId	The unique identifier of the organization that the entity belongs to	55
ProjectId	Unique identifier of the project the entity is associated to	111028
CreatedDate	Date the record was created	2019-01-10 11:26:41.2433 333 +00:00
ModifiedDate	Date the record was modified	2019-01-10 11:26:41.2433 333 +00:00
IsActive	Indicator if the record is still active	True

Sample

```
{ https://apitest.ineight.com/reporting/v1/{tenantKey}/odata/SelfService_Compliance_InEightOBSDData
[?$expand][&$filter][&$select][&$orderby][&$top][&$skip][&$count]
}
```