



# Explore API Documentation

## SelfService\_Compliance\_QuestionText

Version 1.1

Last Modified: 11/14/2023

Last Modified By: Litzy Mora



## Change Log

This changelog only contains significant or notable changes to the revision. Any editorial type changes or minor changes are not included.

Revision	Change Date	Description	Modified By
1.0	06/29/2021	Initial draft	Jackson Bukata
1.1	8/10/2022	Updated data refresh time	Estefany Puc Nieto
1.2	12/22/2022	Updated pagination	Litzy Mora

## Contents


Change Log.....	2
Overview.....	3
Relationships and Dependencies.....	3
API Detail.....	3
Supported Filters.....	3
Fields.....	4
Field Descriptions.....	4
Sample.....	5

## Overview

The Question Text API is designed to expose translated question data from Compliance forms. **When using this API, please filter by Language ID or Language code to eliminate duplicates.**

## Relationships and Dependencies

From: Table	To: Table	Relationship	Cardinality <sup>1</sup>
SelfService_Compliance_QuestionText (QT)	SelfService_Compliance_EventTaskData (ETD)	QT.QuestionId = ETD.InspectQuestionId	M:1
SelfService_Compliance_QuestionText (QT)	SelfService_Compliance_QuestionReportingTag (QRT)	QT.QuestionId = QRT.QuestionId	M:1



## API Detail

Direction	From Project Suite	
Pagination	5,000 Rows	
Frequency	All Reporting APIs are used by calling a GET method at an interval determined by the customer. InEight suggests using these APIs on an infrequent basis (once per day) to avoid potential performance impact to live systems when the returned data set could be large.	
Trigger Method(s)	All default OData filters are supported	
Average Payload Size	Depends on date range selected	
APIM Name	SelfService_Compliance_QuestionText	
Data Refresh/Delta/Incremental Loads	The data in this API will refresh in five minutes or less from the time it is entered.	
Project Suite	Starting Version	V1.0
	Ending Version	V1.0

## Supported Filters

All default OData filters are supported by this API.

<sup>1</sup> 1:M = One to Many, 1:1 = One to One, M:1 = Many to one

## Fields

Name	Type	CharMaxLen gth	NumericPrecisi on	DatePrecisi on	Product	P K
QuestionTextId	Bigint	Not Null	19	Null	Compliance	X
QuestionId	Bigint	Null	19	Null	Compliance	
QuestionTextName	Nvarchar	500	Null	Null	Compliance	
QuestionTextDescription	Nvarchar	4000	Null	Null	Compliance	
LanguageId	Bigint	Null	19	Null	Compliance	
LanguageCode	Nvarchar	25	Null	Null	Compliance	
CreatedById	Bigint	Null	19	Null	Compliance	
CreatedDate	Datetimeoffset	7	Null	Null	Compliance	
CreatedDateChar	Varchar	35	Null	Null	Compliance	
ModifiedById	Bigint	Null	19	Null	Compliance	
ModifiedDate	Datetimeoffset	7	Null	Null	Compliance	
ModifiedDateChar	Varchar	35	Null	Null	Compliance	
IsActive	Bit	Null	Null	Null	Compliance	

## Field Descriptions

Name	Description	Example
QuestionTextId	Unique identifier for all records in this API	58196
QuestionId	Unique identifier for each question	58200
QuestionTextName	Text of the question as it appears on a form	18.30.9 Clarifications
QuestionTextDescription	Text description for the question	Add additional names, comments, etc.
LanguageId	Unique value indicating the language Id associated to the record	1
LanguageCode	Code indicating the language Id	en
CreatedById	Unique identifier associated to the creator of the record	14
CreatedDate	Indicates the date created	2020-06-12 18:55:00.8472170+00:00

<b>CreatedDateChar</b>	Indicates the date created	2020-06-12 18:55:00.847217 +00:00
<b>ModifiedById</b>	Indicates the Id of individual that made modification	14
<b>ModifiedDate</b>	Date of the modification	2020-06-12 18:55:00.8472170 +00:00
<b>ModifiedDateChar</b>	Date of the modification	2020-06-12 18:55:00.847217 +00:00
<b>IsActive</b>	Indicates if a record is active or inactive	1

## Sample

[https://\[TenantKey\].hds.ineight.com/reportwebservices/odata/SelfService\\_Compliance\\_QuestionText](https://[TenantKey].hds.ineight.com/reportwebservices/odata/SelfService_Compliance_QuestionText)

```
{
  "QuestionTextId":1,"QuestionId":1,"QuestionTextName":"Operation","QuestionTextDescription":"","LanguageId":1,"LanguageCode":"en",
  "CreatedBy":60,"CreatedDate":"2019-09-16T16:18:07.5402756Z","CreatedDateChar":"2019-09-16 16:18:07.540276 +00:00",
  "ModifiedBy":60,"ModifiedDate":"2019-09-16T16:47:24.2987181Z","ModifiedDateChar":"2019-09-16 16:47:24.298718 +00:00",
  "IsActive":true
}
```