



Explore API Documentation

SelfService_Contract_DivisionOfResponsibility

Version 0.01

Last Modified: 11/14/2023

Last Modified By: Chase Denton



Change Log

This changelog only contains significant or notable changes to the revision. Any editorial type changes or minor changes are not included.

Revision	Change Date	Description	Modified By
0.01	6/19/2019	Initial draft	Chase Denton

Contents

Change Log.....	2
Overview.....	3
Relationships and Dependencies.....	Error! Bookmark not defined.
API Detail.....	3
Supported Filters.....	3
Fields.....	3
Field Descriptions.....	4
Sample.....	4
Data Validation.....	4

Overview

This API lists responsible parties' role and names for the packages.

From: Table	To: Table	Relationship	Cardinality ¹	Comment
Contract_PackageResponsibleParty (PRP)	Contract_Package (P)	P.Packageld = PRP.Packageld	1:M	Organization Id
Contract_Package (P)	Contract_Project (Prj)	Prj.ProjectId = P.ProjectId	1:M	
Contract_PackageResponsibleParty (PRP)	Contract_User (U)	U.UserId = PRP.UserId	1:M	Name

API Detail

Direction	From Project Suite	
Pagination	50,000 Rows	
Frequency	All Reporting APIs are used by calling a GET method at an interval determined by the customer. InEight suggests using these APIs on an infrequent basis (once per day) to avoid potential performance impact to live systems when the returned data set could be large.	
Trigger Method(s)	All default OData filters are supported	
Average Payload Size	Depends on date range selected	
APIM Name	SelfService_Contract_DivisionOfResponsibility	
Data Refresh/Delta/Incremental Loads	This API must be run as a full refresh each time; the data in this API refreshes every 15-20 minutes	
Project Suite	Starting Version	V1.0
	Ending Version	V1.01

Supported Filters

All default OData filters are supported by this API.

Fields

Name	Type	CharMaxLength	NumericPrecision	DatePrecision	Product	PK
PackageResponsiblePartyId	bigint	NULL	19	NULL	Contract	X
Packageld	bigint	NULL	19	NULL	Contract	
ProjectId	bigint	NULL	19	NULL	Contract	
OrganizationId	bigint	NULL	19	NULL	Contract	
ResponsibilityName	nvarchar	50	NULL	NULL	Contract	
Name	nvarchar	402	NULL	NULL	Contract	
IsActive	bit	NULL	NULL	NULL	Contract	
CreatedDate	datetimeoffset	NULL	NULL	7	Contract	
ModifiedDate	datetimeoffset	NULL	NULL	7	Contract	

¹ 1:M = One to Many, 1:1 = One to One, M:1 = Many to one

Field Descriptions

Name	Description	Example
PackageResponsiblePartyId	System generated code for the package responsible party	1,2,3
PackageId	System generated code for the package	576
ProjectId	System generated code for a project	91
OrganizationId	System generated code for an organization	NULL
ResponsibilityName	Title of the person responsible	Purchasing manager
Name	Name of the person responsible	Shilpa DP
IsActive	When this field equals 0, then the forecast is no longer active and used in the project	Active = 1, Inactive = 0
CreatedDate	Date of creation	2018-02-23 15:01:26.7872758 +00:00
ModifiedDate	Date last modified	2018-04-06 16:32:26.2448312 +00:00

Sample

```
{
}

```

Data Validation

Project and Organization Data can be validated through the All Projects & Organizations view: