



## Explore API Documentation

# SelfService\_Control\_Note

Version 1.1

Last Modified: 10/31/2023

Last Modified By: Estefany Puc Nieto



## Change Log

This changelog only contains significant or notable changes to the revision. Any editorial type changes or minor changes are not included.

Revision	Change Date	Description	Modified By
1.0	10/22/2021	Initial draft	Harsha Ayyadevara
1.1	8/9/2022	Updated data refresh time	Estefany Puc Nieto

## Contents

Change Log.....	2
Overview.....	3
Relationships and Dependencies.....	<b>Error! Bookmark not defined.</b>
API Detail.....	3
Supported Filters.....	3
Fields.....	3
Field Descriptions.....	4
Sample.....	4
Data Validation.....	4

## Overview

This API contains information pertinent to your project's original budget (OB) and current budget (CB) as well as to-date (TD) numbers.

From: Table	To: Table	Relationship	Cardinality <sup>1</sup>	Comment

## API Detail

Direction	From Project Suite		
Pagination	50,000 Rows		
Frequency	All Reporting APIs are used by calling a GET method at an interval determined by the customer. InEight suggests using these APIs on an infrequent basis (once per day) to avoid potential performance impact to live systems when the returned data set could be large.		
Trigger Method(s)	All default OData filters are supported		
Average Payload Size	Depends on date range selected		
APIM Name	SelfService_Control_Note		
Data Refresh/Delta/Incremental Loads	The data in this API will refresh every 20 minutes.		
Project Suite	Starting Version	V1.0	
	Ending Version	V1.0	

## Supported Filters

All default OData filters are supported by this API.

## Fields

Name	Type	CharMaxLength	NumericPrecision	DatePrecision	Product	PK
NotesId	bigint	NULL	19	NULL	Control	X
ProjectId	bigint	NULL	19	NULL	Control	
SourceId	bigint	NULL	19	NULL	Control	
SourceName	nvarchar	100	NULL	NULL	Control	
SourceSystemId	nvarchar	50	NULL	NULL	Control	
SourceSystemName	nvarchar	100	NULL	NULL	Control	
Notes	nvarchar	4000	NULL	NULL	Control	
CreatedById	bigint	NULL	19	NULL	Control	
CreatedDate	datetimeoffset	NULL	NULL	7	Control	
ModifiedById	bigint	NULL	19	NULL	Control	
ModifiedDate	datetimeoffset	NULL	NULL	7	Control	
IsActive	bit	NULL	NULL	NULL	Control	
ReferenceId	bigint	NULL	19	NULL	Control	

<sup>1</sup> 1:M = One to Many, 1:1 = One to One, M:1 = Many to one

## Field Descriptions

Name	Description	Example
<b>NotesId</b>	System generated id for Notes	11868
<b>ProjectId</b>	System generated Project id	1,2,3
<b>SourceId</b>	Unique Identifier for source	104815
<b>SourceName</b>	Name of the source	ResourcesLibrary
<b>SourceSystemId</b>	Unique Identifier for source system	
<b>SourceSystemName</b>	Name of the source system	
<b>Notes</b>	Text field for notes	KieCore assigned MC2 resource code, DO NOT CHANGE
<b>CreatedById</b>	Unique identifier of the note creator	1
<b>CreatedDate</b>	Date which the note is created	2018-04-10 20:50:35.0000000 +00:00
<b>ModifiedById</b>	Unique identifier of the user who modified the note	1
<b>ModifiedDate</b>	Date which the note is modified	2018-04-10 20:50:35.0000000 +00:00
<b>IsActive</b>	Active/inactive for soft deleted notes	0, 1
<b>ReferencId</b>		

## Sample

```
{
}

```

## Data Validation

Project and Organization Data can be validated through the All Projects & Organizations view: