Explore API Documentation

SelfService_Estimate_QuoteIgnoreReasons

Version 2.0

Last Modified: 10-Dec-2025

Last Modified By: Litzy Mora

© 2025 InEight, Inc. All rights reserved.

Change Log

This changelog only contains significant or notable changes to the revision. Any editorial type changes or minor changes are not included.

Revision	Change Date	Description	Modified By
1.0	15-Apr-2024	Initial release	Aaron Cohen
2.0	10-Dec-2025	Updated refresh data	Litzy Mora

Contents

Change Log....2
Overview....3
Relationships and Dependencies....3
API Detail....3
Supported Filters....3
Fields....4
Field Descriptions....4
Sample....5

Overview

The ***SelfService_Estimate_QuoteIgnoreReasons*** API provides the list of Ignore Reasons for quote records. When a Quote is marked Ignore, the list of Ignore reasons lets users indicate why the quote is being ignored.

.

Relationships and Dependencies

From: Table	To: Table	Relationship	Cardinality[1]	Comment
QuoteIgnoreReasons (QIR)	Jobs (J)	QIR.BidMasterJobUID = J.BidMasterJobUID	M:1	



API Detail

Direction		From Project Suite
Pagination		50,000 Rows
Frequency		All Reporting APIs are used by calling a GET method at an interval determined by the customer. InEight suggests using these APIs on an infrequent basis (once per day) to avoid potential performance impact to live systems when the returned data set could be large.
Trigger Method(s)		All default OData filters are supported
Average Payload Size		Depends on date range selected
APIM Name		SelfService_Estimate_QuoteIgnoreReasons
Replicate View		[SelfService].[vwEstimateQuoteIgnoreReasons]
Data Refresh/Delta/Incremental Loads		The refresh of the data in this API is sync-based. The time it takes data to appear in this API is dependent on the load on the server at the time. If it takes more than 15 minutes, please submit a ticket with the Service Desk.
Project Suite	**Starting Version**	24.3
	Ending Version	N/A

Supported Filters

All default OData filters are supported by this API.

[1] *1:M = One to Many, 1:1 = One to One, M:1 = Many to one*

Fields

Name	Type	Char Max Length	Numeric Precision	Date Precision	Product	PK
EstimateQuoteIgnoreReasonsId	bigint	8	19	0	Estimate	X
EstimateQuoteIgnoreReasonsUF	uniqueidentifier	16	0	0	Estimate	
EstimateQuoteIgnoreReasonsUID	uniqueidentifier	16	0	0	Estimate	
DESCRIPTION	nvarchar	50	0	0	Estimate	
SaveID	int	4	10	0	Estimate	
BidMasterJobUID	uniqueidentifier	16	0	0	Estimate	
LastUpdateID	int	4	10	0	Estimate	
IsActive	bit	1	1	0	Estimate	
CreatedById	bigint	8	19	0	Estimate	
CreatedDate	datetimeoffset	10	34	7	Estimate	
ModifiedById	bigint	8	19	0	Estimate	
ModifiedDate	datetimeoffset	10	34	7	Estimate	

Field Descriptions

Name	Description	Example
EstimateQuoteIgnoreReasonsId	Unique identifier assigned to each record in the table	607309
EstimateQuoteIgnoreReasonsUF	System generated field, for internal use only	fdcd1e34-e8d2-01b6-2fe9-f2a164765995
EstimateQuoteIgnoreReasonsUID	Identifier of the ignore reason on a quote record	6b9b5449-8af9-40ad-8742-ff127d19f291
DESCRIPTION	Ignore Reason description field value	Non Compliant
SaveID	Field for internal use only	0
BidMasterJobUID	Identifier of the Job record from the Jobs table in the BidMaster database.	96564a7d-622b-411b-a8ab-0db3196fab04
LastUpdateID	Field for internal use only	3270
IsActive	Indicates if record is active.	true
CreatedById	System generated Id, will always represent the system, not actual users. This field is for internal use only.	1
CreatedDate	Date/timestamp record is entered	2024-03-21T22:11:27.681246Z
ModifiedById	System generated Id, will always represent the system, not actual users. This field is for internal use only.	1
ModifiedDate	Date/timestamp record is modified	2024-03-21T22:11:27.681246Z

Sample


```
{
        "EstimateQuoteIgnoreReasonsId": 607309,
        "EstimateQuoteIgnoreReasonsUF": "fdcd1e34-e8d2-01b6-2fe9-f2a164765995",
        "EstimateQuoteIgnoreReasonsUID": "6b9b5449-8af9-40ad-8742-ff127d19f291",
        "DESCRIPTION": "Non Compliant",
        "SaveID": 0,
        "BidMasterJobUID": "96564a7d-622b-411b-a8ab-0db3196fab04",
        "LastUpdateID": 3270,
        "IsActive": true,
        "CreatedById": 1,
        "CreatedDate": "2024-03-21T22:11:27.681246Z",
        "ModifiedById": 1,
        "ModifiedDate": "2024-03-21T22:11:27.681246Z"
}
```

Data Validation

Quote Ignore reasons can be validated by opening a Quote Record and checking the Ignore checkbox to activate the Reason dropdown list.

Figure 1: Quote Record