INEIGHT

Explore API Documentation

SelfService_Estimate_UserTagReferencedData

Version 3.0

Last Modified: 10-Dec-2025

Last Modified By: Litzy Mora

© 2025 InEight, Inc. All rights reserved.

Change Log

This changelog only contains significant or notable changes to the revision. Any editorial type changes or minor changes are not included.

Revision	Change Date	Description	Modified By
1.0	31-Mar-2022	Initial release	Natalie Takacs
2.0	21-Feb-2025	Updated naming convention	Litzy Mora
3.0	10-Dec-2025	Updated data refresh	Litzy Mora

Contents

Change Log....2
Overview....3
Relationships and Dependencies....3
API Detail....3
Supported Filters....4
Fields....4
Field Descriptions....4
Sample....5

Overview

The ***SelfService_Estimate_UserTagReferencedData*** API provides the list of User defined Tag field values in each job.

The *SelfService_Estimate_UserTagReferencedData* contains the values of foreign key lookup values stored in reference table and can provide a convenient way to reference data as it appears in the application without needing to lookup the foreign key values from a related lookup table.

Relationships and Dependencies

From: Table	To: Table	Relationship	Cardinality[1]	Comment
UserTagReferencedData (UTRD)	UserTag (UT)	UTRD.UID = UT.UID	1:1	
UserTagReferencedData (UTRD)	Job (J)	UTRD.BidMasterJobUID = J.BidMasterJobUID	M:1	

SelfService_Estimate_UserTagsReferencedData



API Detail

Direction	From Project Suite
Pagination	50,000 Rows

[1] *1:M = One to Many, 1:1 = One to One, M:1 = Many to one*

Frequency		All Reporting APIs are used by calling a GET method at an interval determined by the customer. InEight suggests using these APIs on an infrequent basis (once per day) to avoid potential performance impact to live systems when the returned data set could be large.
Trigger Method(s)		All default OData filters are supported
Average Payload Size		Depends on date range selected
APIM Name		SelfService_Estimate_UserTagReferencedData
Replicate View		[SelfService].[vwEstimateUserTagReferencedData]
Data Refresh/Delta/Incremental Loads		The refresh of the data in this API is sync-based. The time it takes data to appear in this API is dependent on the load on the server at the time. If it takes more than 15 minutes, please submit a ticket with the Service Desk.
Project Suite	**Starting Version**	21.5
	Ending Version	N/A

Supported Filters

All default OData filters are supported by this API.

Fields

Name	Type	CharMaxLength	NumericPrecision	DatePrecision	Product	PK
EstimateUserTagReferencedDataId	bigint	8	19	0	Estimate	X
EstimateUserTagReferencedDataUF	uniqueidentifier	16	0	0	Estimate	
EstimateUserTagReferencedDataUID	uniqueidentifier	16	0	0	Estimate	
FieldCaption	nvarchar	4000	0	0	Estimate	
RegisterDescription	nvarchar	100	0	0	Estimate	
BidMasterJobUID	uniqueidentifier	16	0	0	Estimate	
BidMasterJobCode	nvarchar	400	0	0	Estimate	
LastUpdateID	int	4	10	0	Estimate	
IsActive	bit	1	1	0	Report	
CreatedById	bigint	8	19	0	Report	
CreatedDate	datetimeoffset	10	34	7	Report	
ModifiedById	bigint	8	19	0	Report	
ModifiedDate	datetimeoffset	10	34	7	Report	

Field Descriptions

Name	Description	Example

EstimateUserTagReferencedDataId	Unique identifier assigned to each record in the table	1
EstimateUserTagReferencedDataUF	System generated field, for internal use only	N/A
EstimateUserTagReferencedDataUID	Unique identifier for the User Tag Not visible in the Interface	03F4FA78-C734-4970-B85F-B6C3495E735D
FieldCaption	Field for internal use only	Null
RegisterDescription	Description of the Register that uses the UserTag	Cost Items
BidMasterJobUID	Job identifier of the User Tag entry from the Jobs table. Not visible in the interface.	6E5BB7DD-BF42-4DB1-8393-BD78ED5D3620
BidMasterJobCode	Unique Identifier for the Job Code	Training Job
LastUpdateID	Field for internal use only	1
IsActive	Indicates if record is active. Please note: records will become inactive if a user un-syncs a job from Estimate application	True = 1 False = 0
CreatedById	System generated Id, will always represent the system, not actual users. This field is for internal use only.	1
CreatedDate	Date/timestamp record is entered	2022-02-21 17:47:05.4923658 +00:00
ModifiedById	System generated Id, will always represent the system, not actual users. This field is for internal use only.	1
ModifiedDate	Date/timestamp record is modified	2022-02-21 17:47:05.4923658 +00:00

Commented [SJ1]: There doesn't seem to be any data in this field.

Sample


```
{"EstimateUserTagReferencedDataId":8355,"EstimateUserTagReferencedDataUF":"6a8d5399
-4273-08e7-1206-f80fb54ea0a7","EstimateUserTagReferencedDataUID":"03f4fa78-c734-
4970-b85f-b6c3495e735d","FieldCaption":null,"RegisterDescription":"Cost
Items","BidMasterJobUID":"6979a9e1-8547-4197-aa59-
4eccfc10d3fa","BidMasterJobCode":"COPY 1 OF Alpha RAND
30534024","LastUpdateID":48,"IsActive":false,"CreatedById":1,"CreatedDate":"2022-
01-25T16:12:53.2838665Z","ModifiedById":1,"ModifiedDate":"2022-02-
04T21:53:16.4774379Z"}
```

Data Validation

This data can be validated by navigating to Job-> Setup -> Foundation Setup Data-> Tags in the drop down. This navigates the user to the Tags tab in Foundation Setup data.

Figure 1: Foundation Setup data -> Tags tab