



Explore API Documentation

SelfService_Plan_ComponentConfigurationValue

Version 0.01

Last Modified: 11/14/2023

Last Modified By: Chase Denton



Change Log

This changelog only contains significant or notable changes to the revision. Any editorial type changes or minor changes are not included.

Revision	Change Date	Description	Modified By
0.01	6/19/2019	Initial draft	Chase Denton

Contents

Change Log.....	2
Overview.....	3
Relationships and Dependencies.....	Error! Bookmark not defined.
API Detail.....	3
Supported Filters.....	3
Fields.....	3
Field Descriptions.....	3
Sample.....	4
Data Validation.....	4

Overview

This API contains the joins for the Configuration Description of a component.

No Joins

API Detail

Direction	From Project Suite	
Pagination	50,000 Rows	
Frequency	All Reporting APIs are used by calling a GET method at an interval determined by the customer. InEight suggests using these APIs on an infrequent basis (once per day) to avoid potential performance impact to live systems when the returned data set could be large.	
Trigger Method(s)	All default OData filters are supported	
Average Payload Size	Depends on date range selected	
APIM Name	SelfService_Plan_ComponentConfigurationValue	
Data Refresh/Delta/Incremental Loads	This API must be run as a full refresh each time	
Project Suite	Starting Version	V1.0
	Ending Version	V1.01

Supported Filters

All default OData filters are supported by this API.

Fields

Name	Type	CharMaxLength	NumericPrecision	DatePrecision	Product	PK
ComponentConfigurationValued	bigint	NULL	19	NULL	Plan	X
DisplayId	varchar	50	NULL	NULL	Plan	
Description	varchar	200	NULL	NULL	Plan	
ConfigurationType	int	NULL	10	NULL	Plan	
IsActive	bit	NULL	NULL	NULL	Plan	
ModifiedDate	datetimeoffset	NULL	NULL	7	Plan	

Field Descriptions

Name	Description	Example
ComponentConfigurationValued	System generated code for the configuration value	1,2,3
DisplayId	The name of the component configuration	PTC

Description	Text description of component configuration	Positive Train Control
ConfigurationType	The grouping that helps describe the component	1,2,3,4
IsActive	The date the record was created or modified	Active = 1, Inactive = 0
ModifiedDate	When this field equals 0, then the record is no longer active and used in the project	2017-05-26 21:12:21.8300194 +00:00

Sample

```
{
}

```

Data Validation

Project and Organization Data can be validated through the All Projects & Organizations view: